


Stoichiometry After School Regents Review Practice

1. Which formula is an empirical formula?

- A) N_2O_4 B) NH_3 C) C_3H_6 D) P_4O_{10}

2. Given the formula for a compound:



Which molecular formula and empirical formula represent this compound?

- A) C_2HNO_2 and CHNO
B) C_2HNO_2 and C_2HNO_2
C) $\text{C}_4\text{H}_2\text{N}_2\text{O}_4$ and CHNO
D) $\text{C}_4\text{H}_2\text{N}_2\text{O}_4$ and C_2HNO_2
3. Which substances have atoms of the same element but different molecular structures?
- A) $\text{He}(\text{g})$ and $\text{Ne}(\text{g})$ B) $\text{O}_2(\text{g})$ and $\text{O}_3(\text{g})$
C) $\text{K}(\text{s})$ and $\text{Na}(\text{s})$ D) $\text{P}_4(\text{s})$ and $\text{S}_8(\text{s})$
4. A compound has the empirical formula CH_2O and a gram-formula mass of 60. grams per mole. What is the molecular formula of this compound?
- A) CH_2O B) $\text{C}_2\text{H}_4\text{O}_2$
C) $\text{C}_3\text{H}_8\text{O}$ D) $\text{C}_4\text{H}_8\text{O}_4$
5. Given the balanced equation representing a reaction:
$$2\text{Na}(\text{s}) + \text{Cl}_2(\text{g}) \rightarrow 2\text{NaCl}(\text{s}) + \text{energy}$$
If 46 grams of Na and 71 grams of Cl_2 react completely, what is the total mass of NaCl produced?
- A) 58.5 g B) 117 g
C) 163 g D) 234 g
6. What is the gram-formula mass of $\text{Ca}(\text{OH})_2$?
- A) 29 g/mol B) 54 g/mol
C) 57 g/mol D) 74 g/mol
7. What is the gram-formula mass of $\text{Fe}(\text{NO}_3)_3$?
- A) 146 g/mol B) 194 g/mol
C) 214 g/mol D) 242 g/mol

8. What is the total number of moles of oxygen atoms in 1 mole of N_2O_3 ?

- A) 1 B) 2 C) 3 D) 5

9. One mole of O_2 has approximately the same mass as one mole of

- A) CH_4 B) S C) LiH D) Cl_2

10. What is the percent composition by mass of nitrogen in $(\text{NH}_4)_2\text{CO}_3$ (gram-formula mass = 96.0 g/mol)?

- A) 14.6% B) 29.2%
C) 58.4% D) 87.5%


11. Which quantity can be calculated for a solid compound, given only the formula of the compound and the Periodic Table of the Elements?

- A) the density of the compound
B) the heat of fusion of the compound
C) the melting point of each element in the compound
D) the percent composition by mass of each element in the compound

12. Which compound has the *smallest* percent composition by mass of chlorine?

- A) HCl B) KCl C) LiCl D) NaCl

13. Given the balanced equation:




Which type of chemical reaction does this equation represent?

- A) synthesis
B) decomposition
C) single replacement
D) double replacement

Stoichiometry After School Regents Review Practice

14. Given the balanced equation representing a reaction:



Which type of reaction is represented by this equation?

- A) synthesis
B) decomposition
C) single replacement
D) double replacement

15. Which change results in the formation of different substances?

- A) burning of propane
B) melting of $\text{NaCl}(\text{s})$
C) deposition of $\text{CO}_2(\text{g})$
D) solidification of water

16. Which terms identify types of chemical reactions?

- A) decomposition and sublimation
B) decomposition and synthesis
C) deposition and sublimation
D) deposition and synthesis


17. Given the word equation:



Which type of chemical reaction is represented by this equation?

- A) double replacement
B) single replacement
C) decomposition
D) synthesis

18. Given the reaction at 101.3 kilopascals and 298 K:



This reaction is classified as

- A) endothermic, because heat is absorbed
B) endothermic, because heat is released
C) exothermic, because heat is absorbed
D) exothermic, because heat is released


19. Which equation shows conservation of mass and energy for a reaction at 101.3 kPa and 298 K?

- A) $2\text{H}_2(\text{g}) + \text{O}_2(\text{g}) \rightarrow 2\text{H}_2\text{O}(\text{g}) + 483.6 \text{ kJ}$
B) $2\text{H}_2(\text{g}) + \text{O}_2(\text{g}) \rightarrow 2\text{H}_2\text{O}(\text{l}) + 285.8 \text{ kJ}$
C) $\text{H}_2(\text{g}) + \text{O}_2(\text{g}) \rightarrow \text{H}_2\text{O}(\text{g}) + 483.6 \text{ kJ}$
D) $\text{H}_2(\text{g}) + \text{O}_2(\text{g}) \rightarrow \text{H}_2\text{O}(\text{l}) + 285.8 \text{ kJ}$

20. The coefficients in a balanced chemical equation represent

- A) the mass ratios of the substances in the reaction
B) the mole ratios of the substances in the reaction
C) the total number of electrons in the reaction
D) the total number of elements in the reaction


21. Given the incomplete equation representing a reaction:



What is the coefficient of O_2 when the equation is completely balanced using the smallest whole-number coefficients?

- A) 13 B) 14 C) 19 D) 26

22. Given the unbalanced equation:




When this equation is correctly balanced using smallest whole numbers, what is the coefficient of $\text{O}_2(\text{g})$?

- A) 6 B) 2 C) 3 D) 4

Stoichiometry After School Regents Review Practice


23. Given the incomplete equation representing a reaction:



What is the formula of the missing product?

- A) O^{2-} B) O_2 C) OH^- D) OH
-

24. Given the balanced equation representing a reaction:



What is the number of moles of $\text{H}_2\text{O}(\text{g})$ formed when 2.0 moles of $\text{NH}_3(\text{g})$ react completely?

- A) 6.0 mol B) 2.0 mol
C) 3.0 mol D) 4.0 mol

25. Given the balanced equation representing a reaction:



Which mass of oxygen completely reacts with 4.0 grams of hydrogen to produce 36.0 grams of water?


- A) 8.0 g B) 16.0 g
C) 32.0 g D) 40.0 g

26. Which sample of gas at STP has the same number of molecules as 6 liters of $\text{Cl}_2(\text{g})$ at STP?

- A) 3 liters of $\text{O}_2(\text{g})$ B) 6 liters of $\text{N}_2(\text{g})$
C) 3 moles of $\text{O}_2(\text{g})$ D) 6 moles of $\text{N}_2(\text{g})$

Base your answers to questions 27 through 29 on the information below and on your knowledge of chemistry.


Given the unbalanced equation showing the reactants and product of a reaction occurring at 298 K and 100. kPa:



27. Show a numerical setup for calculating the percent composition by mass of chlorine in $\text{PCl}_3(\text{l})$ (gram-formula mass = 137 g/mol).

28. State why this reaction is a synthesis reaction.


29. Balance the equation below for the reaction, using the smallest whole number coefficients.



Stoichiometry After School Regents Review Practice

Base your answers to questions **30** and **31** on the information below and on your knowledge of chemistry.

Ammonia, $\text{NH}_3(\text{g})$, can be used as a substitute for fossil fuels in some internal combustion engines. The reaction between ammonia and oxygen in an engine is represented by the unbalanced equation below.



30. Show a numerical setup for calculating the mass, in grams, of a 4.2-mole sample of O_2 .
Use 32 g/mol as the gram-formula mass of O_2 .
31. Balance the equation for the reaction of ammonia and oxygen, using the smallest whole-number coefficients.
-

Base your answers to questions **32** and **33** on the information below and on your knowledge of chemistry.

A sample of calcium carbonate, CaCO_3 , has a mass of 42.2 grams. Calcium carbonate has a gram-formula mass of 100. g/mol.

32. Determine the percent composition by mass of oxygen in the CaCO_3 .
33. Show a numerical setup for calculating the number of moles in the sample of CaCO_3 .
-

Base your answers to questions **34** and **35** on the information below and on your knowledge of chemistry.

The densities for two forms of carbon at room temperature are listed in the table below.

Densities of Two Forms of Carbon

Element Form	Density (g/cm ³)
carbon (graphite)	2.2
carbon (diamond)	3.513

34. A student calculated the density of a sample of graphite to be 2.3 g/cm³. Show a numerical setup for calculating the student's percent error for the density of graphite.
35. Compare the number of carbon atoms in a 0.30-cm³ sample of graphite and a 0.30-cm³ sample of diamond.
-